

4-7-04
12.3.8 v.8

Phillip Services, Corporation

Page 1

Generator's Waste Profile 327561-00Starts : 05 APR 2004
Expires: 30 APR 2005
Printed: 06 APR 2004

Status : PENDING

Sales Rep 0012 Linda Wimmer
Acct Mngr 0035 Brenda Smithson**A: GENERATOR (8461) SITE INFORMATION**ASH GROVE CEMENT CO. - SEATTLE
3801 E MARGINAL WAY SOUTH
SEATTLE, WA 98134-0000
> Contact JERRY BROWNEPA WAD000249818
SIC 3241 N
Phone (206) 623-5596**B: CUSTOMER (8461) INFORMATION**ASH GROVE CEMENT COMPANY - WES
3801 E MARGINAL WAY SOUTH
SEATTLE, WA 98134-0000**C: WASTE INFORMATION**

On File > MSDS No Analysis Yes Sample Yes

Waste Name WATER AND SOLVENT
Process DISPOSAL OF SOLVENT**D: PHYSICAL CHARACTERISTICS OF WASTE**Phys States L-Liq Top Color VARIES
Mid Color
G-Slu Bot ColorOdor None
Layers Single Phased
Spec Grav .8704PH Range 4.1-10
Free Liq % 60-90%
Flash Test Gen Knowledge
Flash Rnge No Flash**E: CHEMICAL COMPOSITION OF WASTE**

Information Provided By Generator

PAINT SOLVENTS AND SEALERS (100 - 100 %)
PCB's NONE Cyanides PRESENT Phenolics NS Sulfides NONE

F: METALS METHOD		Gen Knowledge		Cadmium	<1	Chromium	<5	Silver	<5	Zinc
	Arsenic	<5	Merc TCLP	<0.2	Selenium	<1	Nickel			Copper
	Barium	<100	Lead	<5	Merc Tot		Thallium			Chrome-6

G: OTHER CHARACTERISTICS OF WASTE

Ign. Solid No Oxidizer No Explosive No Shock Sensitive No Water Reactive No Reactive No

H: EPA / STATE WASTE IDENTIFICATIONDangerous / Hazardous No TSCA No Universal Waste No
Form W203 Source G09 Origin 1 SubPart CC No NESHAPS No CERCLA No Debris No Waste Water NoEPA Codes
State Codes**I: SHIPPING INFORMATION**

Marine Pollutant No Dangerous Wat No Inhalation Hazard No Poison No

Containers DM Metal Drum Qty to Ship Now 1 Projected Volume 1/Yearly
DOT Descrip MATERIAL NOT REGULATED BY D.O.T**J: SPECIAL HANDLING INFORMATION****GENERATOR CERTIFICATION**

I hereby certify, as an authorized representative of the Generator named above, that BEI has been fully informed of all information known about this waste, including but not limited to, the waste's generation process, composition, and physical characteristics, necessary to identify proper treatment and disposal of waste and this information is true and accurate.

If this is an existing profile which is being renewed, I hereby certify that there have been no changes in this waste, chemical, physical, or regulatory designation since full characterization by sample testing.

Signature

Printed Name

Title

Date

Philip maintains the requisite permits and agrees to accept this waste stream, as described.

USEPA SF



1256197

AGC2E000451